



# CRAIG<sup>TM</sup>

TRUEGRIP • STEELWRIST

## COUPLER GUIDE

S-TYPE • WEDGELOCK



(US) 1-800-867-1006  
(CAN) 1-800-565-5007

[WWW.CRAIGATTACHMENTS.COM](http://WWW.CRAIGATTACHMENTS.COM)



# WHY **CRAIG?**

With nearly 80 years in the industry, **Craig Manufacturing** is established as one of the **oldest, most-trusted** names in custom manufactured solutions for heavy construction equipment. **Six locations** strategically placed across North America allow Craig to provide **extensive support** and **service** to help users get the most out of their heavy construction equipment.

Furthermore, we believe the integrity of heavy equipment attachments and customizations are as important as the machine itself. Our teams strive to ensure our products deliver a **longer lifetime value** with **superior performance** and **less downtime**.

**135**

WARRANTY

1, 3 & 5 Year  
Extended  
Warranty



4th Generation  
Family Owned  
Company



Made in North  
America with  
Premium Steel




Dedicated  
Sales and Technical  
Support





6 Locations Across  
North America  
(230,000 sq.ft)

In 1946, shortly after the second World War, Canadian machinist, **Woodford "Woodie" Craig** opened a service station and machine repair shop that sold cars and farm machinery in Hartland, NB. Just over a decade later, the first Craig wing is built and installed on a wheel loader.



In 1976, bringing years of experience from across the trade, Woodie's son, **John Craig**, joins the company. Nine years later, he becomes president, expanding Craig's product offering from wings and loader buckets to attachments and work tools for excavators, graders, backhoes, dozers and other custom manufactured solutions



In 2014, Woodie's grandson, **Ben Craig**, became president, driving expansion across North America. This includes a 25,000 sq. ft. addition to the Hartland facility, a 70,000 sq. ft. production facility in Tennessee, a service hub in Blackfalds, Alberta, and an Online Dealer Portal.

Since opening the U.S. branch in 2018, the team has grown from 5 to over 80, spanning welders, fitters, engineers, and service staff, with a new service and installation facility set to open in the Dallas/Fort Worth area.



**SKIP THE BROCHURE**  
Get in touch with Craig today



**1-800-565-5007**  
sales@craigattachments.com



COUPLERS YOU CAN COUNT ON.

With nearly **80 years** of mastering attachment design and leveraging many decades of customer feedback, Craig continues to advance the safety and capability of coupler systems used on job sites across North America. Contractors can count on Craig coupler systems for reliability, superior performance, longevity, and safe operation.



WEDGELOCK



Craig's lightweight, low-profile, convertible Wedgelock style coupler.

Easily convert from manual hook-up to hydraulic in just a few minutes with a kit. Gives an added advantage for dealers, ensuring they always have the right coupler and conversion kit in stock.

S-TYPE



Proven European design. For S-Type attachments configurations.

Craig's classic S1, S2, S3 series design. An aftermarket solution for existing Volvo "S-Style" attachments. Shimmable to prevent wear on coupler and attachments.

TRUEGRIP



Craig's Pin Grabber; offering the Industry's Leading height reduction.

Picking up and swapping attachments has never been easier than with TrueGrip. A low-maintenance single-piston design ensures minimal costly downtime.

STEELWRIST



Industry-leading Tiltrotator design. Low building height with high tilt angles.

Get award-winning tiltrotator technology from Steelwrist combined with proven quality attachments and service from Craig as your single source provider.

CRAIG HYDRAULIC KIT OPTIONS:

1. Use existing machine coupler hydraulic kit – see Craig terms and conditions to confirm kit required for ISO 13031:2016 compliance
2. Craig Stick mounted hydraulic kit – designed for easy install with only electrical connections back to the cab
3. Craig complete fully independent coupler kit – lines run back to tank – ISO 13031:2016 compliant installation

NOTE: Hydraulic kit options may vary for different coupler styles.

EXM-CWL-M  
MANUAL CONVERTIBLE WEDGE LOCK

Features a lightweight, low-profile design that maintains your machines OEM tip radius while offering a quick coupling system.



- Works with all Craig Wedge Lock lugging, both RWL and MWL style, within the same weight class
- Rated lift eye comes standard
- Manual configuration features a lock plate to keep bolts from turning out
- Complete with debris shield to prevent dirt buildup
- Easily convert to hydraulic with a conversion kit
- Three year warranty available with mechanical kit only



(Previous EXM-CWL model shown)


EASILY CONVERT FROM MANUAL TO HYDRAULIC



Works with all Craig Wedge Lock Lugging for the same weight class.



Removable debris shield protect coupler from material accumulation



Get extra versatility on the jobsite. Changing from manual to hydraulic can be done easily with a conversion kit.

(Optional Hydraulic Kit Required)

EXM-CWL-H  
HYDRAULIC CONVERTIBLE WEDGE LOCK

Swap quickly between attachments without having to leave the cab. Provides a lightweight, low-profile design that maintains your OEM tip radius. No manual pins required.



Control valve and hydraulic lines and run back to engine compartment and hydraulic tank.

- Visual locking indicator to identify attachment is engaged
- Works with all Craig Wedge Lock lugging, both RWL and MWL style, within the same weight class
- Removable debris shield
- Automatic safety locks, does not require safety pins to be inserted after engaging attachment.
- Rated lift eye comes standard
- ISO 13031:2016 Compliant Design when sold with a Craig Fully Independent Coupler Kit\*



- EASILY CONVERT FROM HYDRAULIC TO MANUAL (Optional Manual Kit Required)



Works with all Craig Wedge Lock Lugging for the same weight class.



Visual Locking Indicator to identify attachment is engaged.



Removable debris shield protects coupler from material accumulation



WHY TRUEGRIP?

Aside from an industry leading height reduction, easy maintenance and a beautifully simple design, TrueGrip offers multiple safety features and improvements for operators. These features include a debris shield, an adjustable engagement timer and dual independent safety locks.

EXM-TGCT  
TILT TRUEGRIP PIN GRABBER



TrueGrip Tilt Couplers empower operators with the ability to switch between attachments quickly, easily and safely.

**Note:** EXM-TGCT requires lubrication and does not include a debris shield.

Dual tilt cylinders allow for 45 degree side-to-side rotation, enabling operators to **get more work done with better precision.**

- **For excavators up to 30T**
- Built to fit your machine perfectly to ensure no loss in attachment rotation
- Features a multi-pin design to pick up attachments from most OEMs in the same machine category (\*SEE COMPATIBILITY CHART)
- Includes one set of non-hardened attachment pins
- Complete with rated lifting point installed
- Uses a two line coupler kit system
- **ISO 13031:2016, EN 474, and AS 4772** compliant coupler design (\*SEE HYDRAULIC KIT OPTIONS ON PG. 1)



EVERYTHING CONTRACTORS LOVE ABOUT TRUEGRIP  
**WITH MORE MANEUVERABILITY.**



EXM-PGTG  
TRUEGRIP PIN GRABBER



The culmination of decades of advancements in coupler systems, boiled down into one reliable, single-piston design.

- **For excavators up to 90T**
- Built to fit your machine perfectly to ensure no loss in attachment rotation
- Features a multi-pin design to pick up attachments from most OEMs in the same machine category (\*SEE COMPATIBILITY CHART)
- Includes one set of non-hardened attachment pins
- Complete with rated lifting point installed
- Uses a two line coupler kit system
- **ISO 13031:2016, EN 474, and AS 4772** compliant coupler design (\*SEE HYDRAULIC KIT OPTIONS ON PG. 1)



Attachments can be picked up in forward and reverse orientations.



TrueGrip engages and disengages on an adjustable timer, allowing operators to select a window of time for switching attachments.



Dual independent locks to ensure attachment is retained even if the coupler loses hydraulic pressure.



Built-in debris shield protects mechanism from material buildup.



Minimal moving parts —single cylinder design that requires no greasing.



Low profile design maximizes your machine's breakout force.

S-TYPE  
S1, S2, S3 SERIES



Compatible with the Volvo S-Style coupler configuration, made with Craig's industry-leading manufacturing processes to ensure a perfect fit and optimal work performance.

- **Rated lift hooks come standard**
- Cylinder and hoses protected by a debris guard
- Audible and visual safety indicators
- Multiple Craig shim kits are available to reduce hook-up wear and create a tighter coupler fit when used with your older attachments.
- Coupler kit included with in-cab controls and all hydraulic lines (generic hose kit) in place in the event of hydraulic pressure loss on hydraulic configuration



Visual and audible feedback to indicate when attachment is engaged.



Comes fitted with a removable plate to help you hide and protect the cylinder and hosing system.



Rated lift shackles come preinstalled as standard.





**STEELWRIST**  
OPEN-S COUPLER

With **Steelwrist SQ technology**, you can switch between a tiltrotator, hydraulic breaker, crusher, shear, pulverizer, grapple, screening bucket, compactor, and any mechanical work tool—all without leaving the cabin, and in just seconds.

- Front Pin Lock prevents dropped tools, ensuring job site safety
- High tensile steel casting eliminates welds, maximizing durability and optimizing strength to weight ratio
- Open-S compliance guarantees seamless tool and coupler integration
- ISO 13031-compliant design works with most excavators (up to 70 tonnes)

**WHAT IS OPEN-S?**

Not to be confused with S-Type couplers, Open-S is the open standard for the hydraulic interface between machine couplers, tiltrotators and/or attachments. It allows machine operators to freely mix and match machine couplers, tiltrotators, and tools from different compliant manufacturers.



**STEELWRIST**  
TILT COUPLER



A robust tilt function for excavators between 2 and 24 tonnes

- **Tilt & Quick Change:** Combine tilt functionality with rapid tool changes for versatility
- **90° Precision:** Tilt tools up to 90° in both directions for confined or angled tasks
- **Safety First:** Front Pin Lock/Hook ensures secure and reliable tool changes
- **Wide Application:** Perfect for grading, landscaping, trenching, and demolition tasks

**STEELWRIST**  
ROTOR COUPLER



360° rotation function for excavators between 4 and 20 tonnes

- **360° Precision:** Full rotation for unmatched maneuverability and efficiency
- **Versatile Performance:** Easily switch tools for digging, lifting, or crushing
- **Powerful Efficiency:** High flow swivel joint supports demanding hydraulic tools
- **Safety Assured:** LockSense technology ensures secure, compliant tool changes



STEELWRIST

**WHY BUY STEELWRIST FROM CRAIG?**

With Craig and Steelwrist's partnership, operators can easily combine Steelwrist coupler technology with proven designs by Craig, a member of the Open-S Alliance. Receive the same quality service with one single-source provider for all your needs. Less phone calls. Less hassle. **More work done.**

**STEELWRIST**  
TILTROTATOR

A Steelwrist Tiltrotator is a game-changing tool for excavators, providing operators with rotary dexterity that allows them to maneuver their tools with the same precision and flexibility as their own hands. A premium choice for various applications including demolition, construction, cable-laying, landscaping and utility work.

With a **45° tilt and 360° rotation**, a tiltrotator allows operators to perform various tasks without repositioning the excavator. This combination of tilting and rotary movements ensures precise tool positioning, especially in confined spaces.

Operators report productivity gains of 20-35%, enhancing efficiency. Additionally, tiltrotators enable seamless tool changes from the cab, reducing downtime and improving job site safety and productivity.

- **For excavators between 2 to 33 tonnes**
- Features advanced tilt geometry for smooth operation and high-torque movement
- LockSense technology ensures secure work tool locking with real-time feedback
- OptiLube system provides automatic, optimal lubrication, extending the tiltrotator's lifespan
- Modular design allows for easy upgrades from S-type to SQ-type couplers.
- Six channel swivel with high flow for a flexible use with your tiltrotator
- The Quantum control system enhances ergonomics, fuel efficiency, and remote support



STEELWRIST



# CRAIG PORTAL

**THE CRAIG PORTAL IS YOUR GATEWAY  
TO CRAIG PARTS AND ATTACHMENTS!**

## FOR PARTS


Order your Craig parts online with the Craig Portal. Skip the phone call, login to get quotes and place orders for replacement parts.

## FOR ORDERS & INVOICES

With the Portal, you can also track invoices and shipments so you never have to wonder where your order is!

## FOR ATTACHMENTS

Portal allows you to configure a custom attachment quote in minutes. The Craig Portal guides you through to what you need with ease and gets you a quote quickly and simply 24/7.



—CALL CUSTOMER SUPPORT TO SET UP YOUR ACCOUNT—

**PORTAL.CRAIGATTACHMENTS.COM**



OFFICES ALL ACROSS NORTH AMERICA



#### HARTLAND, NB

96 McLean Avenue  
Hartland, New Brunswick  
E7P 2K5, CA

• (506) 375-4493



#### CAMBRIDGE, ON

315 Thompson Drive  
Cambridge, Ontario  
N1T 2B3, CA

• (519) 623-9500



#### BLACKFALDS, AB

88 27323 TWP Rd 394  
Lacombe County, Alberta  
T4M 0S1, CA

• (403) 356-0048



#### HARTLAND, NB (SERVICE)

70 McLean Avenue  
Hartland, New Brunswick  
E7P 2K5, CA

• (506) 375-4493



#### LAWRENCEBURG, TN

408 Commerce Way  
Ethridge, Tennessee  
38456, USA

• (931) 996-7248



#### FORT WORTH, TX

6701 Snowden Rd  
Fort Worth, Texas  
76140, USA

• (800) 867-1006

## OUR COMMITMENT

### CUSTOMERS

Craig is dedicated to providing the highest quality products and support to allow our customers to unlock the maximum potential productivity of their equipment.

### TEAM MEMBERS

We are committed to providing our Team Members with a stable, safe and safe working environment that encourages personal and team development. Team creativity and innovation are the cornerstones on which our company has been built and only through these achievements will it succeed.



WWW.CRAIGATTACHMENTS.COM

Facebook @CRAIGMANUFACTURING  
Instagram @CRAIGMANUFACTURINGLTD  
Twitter @CRAIGATTACHMENTS  
YouTube @CRAIGMANUFACTURING